

## IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (Currently amended) A method of controlling an irrigation system, comprising:  
receiving at a central control system configured to control with respect to each of a plurality of properties, each owned by a different property owner, one or more irrigation control units associated with that property, a first landscape information associated with a first irrigation site associated with a first ~~user~~ property owner and a second landscape information associated with a second irrigation site associated with a second ~~user~~ property owner;  
receiving a first environmental information associated with the first irrigation site and a second environmental information associated with the second irrigation site;  
deriving a first individual station irrigation schedule for the first irrigation site based on the first landscape information and the first environmental information and a second individual station irrigation schedule for the second irrigation site based on the second landscape information and the second environmental information; and  
sending the first individual station irrigation schedule to a first irrigation control unit associated with the first irrigation site and the second individual station irrigation schedule to a second irrigation control unit associated with the second irrigation site;  
wherein the first property owner and the second property owner are included in a plurality of users of the central control system; the central control system is configured to communicate with a plurality of hosts, each associated with one or more users, and to provide access via such hosts to a user interface associated with the central control system; and the central control system is configured to provide to each user who uses one of the plurality of hosts to access the user interface information and controls only for those properties with which that user is associated.

2. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is sent to the first irrigation control unit via a network.
3. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is sent to the first irrigation control unit via the Internet.
4. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is sent to the first irrigation control unit via a telephone line.
5. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information and the first environmental information are provided to a central control system.
6. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein providing the first landscape information includes configuring a landscape parameter via a web interface.
7. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising updating the first environmental information.
8. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes soil type.
9. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes slope information.
10. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes plant type.
11. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes age of plant.

12. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first environmental information includes evapotranspiration (ET) information.
13. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first environmental information includes weather information.
14. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes a restriction on the amount of water used.
15. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes a valve command.
16. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising updating the first environmental information.
17. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule and the second individual station irrigation schedule includes balancing usage with other sites.
18. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule and the second individual station irrigation schedule includes providing biasing information.
19. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule and the second individual station irrigation schedule includes accounting for needs of the most demanding plant.
20. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule and the second individual station irrigation schedule includes selecting an algorithm used for deriving an irrigation schedule from a plurality of algorithms.
21. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first irrigation control unit is connected to Internet via a local point of presence (POP).

22. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is sent to the first irrigation control unit via Internet.
23. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein sending the first individual station irrigation schedule to the first irrigation control unit is initiated by the first irrigation control unit.
24. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein sending the first individual station irrigation schedule to the first irrigation control unit is initiated by the first irrigation control unit and the first irrigation control unit uses a pull model to request the first individual station irrigation schedule.
25. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first irrigation control unit communicates with a watering station via a shared phone line.
26. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, in the event that sending the first individual station irrigation schedule fails, further comprising providing an alert.
27. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, in the event that sending the first individual station irrigation schedule fails, further comprising performing irrigation using a stored irrigation schedule on the first irrigation control unit.
28. (Original) A method of controlling an irrigation system as recited in Claim 1, further comprising providing analysis of water usage to a water agency.
29. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising uploading meter data from the first irrigation control unit to a central control.
30. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising viewing the first landscape information and/or the first individual station irrigation schedule via a web interface.

31. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising modifying the first landscape information and/or the first individual station irrigation schedule via a web interface.
32. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising viewing landscape information and/or irrigation schedules for a plurality of geographically dispersed sites via a web interface.
33. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprising modifying landscape information and/or irrigation schedules for a plurality of geographically dispersed sites via a web interface.
34. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes irrigation method.
35. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes precipitation rate.
36. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes distribution uniformity.
37. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes root depth of plant.
38. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes dripline diameter of plant.
39. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes number of emitters per plant.
40. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes flow rate of emitter.
41. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes sun exposure information.

42. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes plant coefficient by month.
43. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is optimized for one or more stations.
44. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes multiple stations operating simultaneously.
45. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is derived using station flow rates and maximum allowable system flow.
46. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is automatically adjusted for rainfall.
47. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule and the second individual station irrigation schedule includes minimizing runoff.
48. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes hourly restrictions.
49. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes non-watering days.
50. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule includes accounting for the priority of stations.
51. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first landscape information includes seasonality of plants.

52. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is derived using station flow rates provided by a flow sensor.

53. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is optimized to fit within a user-defined water window.

54. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule includes individual station schedules derived using a plurality of algorithms.

55. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule includes selecting an algorithm based on an irrigation method.

56. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein deriving the first individual station irrigation schedule includes selecting an algorithm based on geographic location.

57. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule is derived using station flow rates provided by a water meter.

58. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further comprises uploading meter data from a water meter to the first irrigation control unit.

59. (Currently amended) An irrigation system comprising:  
a memory coupled with the processor, wherein the memory is configured to provide the processor with instructions which when executed cause the processor to:

receive at a central control system configured to control with respect to each of a plurality of properties, each owned by a different property owner, one or more irrigation control units associated with that property, a first landscape information associated with a first irrigation site associated with a first user property owner and a second landscape

information associated with a second irrigation site associated with a second ~~user~~  
property owner;

receive a first environmental information associated with the first irrigation site  
and a second environmental information associated with the second irrigation site;

derive a first individual station irrigation schedule for the first irrigation site based  
on the first landscape information and the first environmental information and a second  
individual station irrigation schedule for the second irrigation site based on the second  
landscape information and the second environmental information; and

send the first individual station irrigation schedule to a first irrigation control unit  
associated with the first irrigation site and the second individual station irrigation  
schedule to a second irrigation control unit associated with the second irrigation site;

wherein the first property owner and the second property owner are included in a  
plurality of users of the central control system; the central control system is configured to  
communicate with a plurality of hosts, each associated with one or more users, and to  
provide access via such hosts to a user interface associated with the central control  
system; and the central control system is configured to provide to each user who uses one  
of the plurality of hosts to access the user interface information and controls only for  
those properties with which that user is associated.

60. (Currently amended) A computer program product for controlling an irrigation system,  
the computer program product being embodied in a computer readable medium and comprising  
computer instructions for:

receiving at a central control system configured to control with respect to each of a  
plurality of properties, each owned by a different property owner, one or more irrigation control  
units associated with that property, a first landscape information associated with a first irrigation  
site associated with a first ~~user~~ property owner and a second landscape information associated  
with a second irrigation site associated with a second ~~user~~ property owner;

receiving a first environmental information associated with the first irrigation site and a  
second environmental information associated with the second irrigation site;

deriving a first individual station irrigation schedule for the first irrigation site based on  
the first landscape information and the first environmental information and a second individual  
station irrigation schedule for the second irrigation site based on the second landscape  
information and the second environmental information; and



sending the first individual station irrigation schedule to a first irrigation control unit associated with the first irrigation site and the second individual station irrigation schedule to a second irrigation control unit associated with the second irrigation site;

wherein the first property owner and the second property owner are included in a plurality of users of the central control system; the central control system is configured to communicate with a plurality of hosts, each associated with one or more users, and to provide access via such hosts to a user interface associated with the central control system; and the central control system is configured to provide to each user who uses one of the plurality of hosts to access the user interface information and controls only for those properties with which that user is associated.

61. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, further including displaying an effect of modifying the first individual station irrigation schedule, including displaying a change to a water bill.

62. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein there are a plurality of individual station irrigation schedules accessible via a web interface, the first user has a first access privilege to the plurality of individual irrigation schedules via the web interface, and the second user has a second access privilege to the plurality of individual irrigation schedules via the web interface.

63. (Canceled)

64. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule that is sent to the first irrigation control unit specifies, without reference to a default or reference schedule, a watering schedule to be implemented at the first irrigation site.

65. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein the first individual station irrigation schedule specifies one or more of a start flow time and a stop flow time of a first individual station valve associated with the first irrigation control unit.

66. (Previously presented) A method of controlling an irrigation system as recited in Claim 1, wherein:

a third user has access to at least one of (1) the first landscape information, (2) the first environmental information, or (3) the first individual station irrigation schedule and access to at least one of (1) the second landscape information, (2) the second environmental information, or (3) the second individual station irrigation schedule.

67. (Previously presented) A method of controlling an irrigation system as recited in Claim 66, wherein the third user has access to trend data associated with the first and second irrigation sites.